

ICD-10 Common Codes per CMS

Abdominal Pain (ICD9-CM 789.00 TO 789.09 range)

| | |
|--------|---|
| R10.0 | Acute abdomen |
| R10.10 | Upper abdominal pain, unspecified |
| R10.11 | Right upper quadrant pain |
| R10.12 | Left upper quadrant pain |
| R10.13 | Epigastric pain |
| R10.2 | Pelvic and perineal pain |
| R10.30 | Lower abdominal pain |
| R10.31 | Right lower quadrant pain |
| R10.32 | Left lower quadrant pain |
| R10.33 | Periumbilical pain |
| R10.84 | Generalized abdominal pain |
| R10.9* | Unspecified abdominal pain |
| | *Codes with a greater degree of specificity should be considered first. |

Abnormalities of Heart Rhythm (ICD-9-CM 427.81, 472.89, 785.0, 785.1 & 785.3)

| | |
|--------|---|
| R00.0 | Tachycardia, unspecified |
| R00.1 | Bradycardia, unspecified |
| R00.2 | Palpitations |
| R00.8 | Other abnormalities of heart beat |
| R00.9* | Unspecified abnormalities of heart beat |
| | *Codes with a greater degree of specificity should be considered first. |

Acute Respiratory Infections (ICD-9-CM 462, 465.9 & 466.0)

| | |
|--------|---|
| J02.8 | Acute pharyngitis due to other specified organisms |
| J02.9* | Acute pharyngitis, unspecified |
| J06.9* | Acute upper respiratory infection, unspecified |
| J20.0 | Acute bronchitis due to Mycoplasma pneumoniae |
| J20.1 | Acute bronchitis due to Hemophilus influenza |
| J20.2 | Acute bronchitis due to streptococcus |
| J20.3 | Acute bronchitis due to coxsackievirus |
| J20.4 | Acute bronchitis due to parainfluenza virus |
| J20.5 | Acute bronchitis due to respiratory syncytial virus |
| J20.6 | Acute bronchitis due to rhinovirus |
| J20.7 | Acute bronchitis due to echovirus |
| J20.8 | Acute bronchitis due to other specified organisms |
| J20.9* | Acute bronchitis,unspecified |
| | *Codes with a greater degree of specificity should be considered first. |

ICD-10 Common Codes per CMS

Back and Neck Pain (Selected) (ICD-9-CM 723.1, 724.1, 724.2 & 724.5)

| | |
|--------|---|
| M54.2 | Cervicalgia |
| M54.5 | Low back pain |
| M54.6 | Pain in thoracic spine |
| M54.89 | Other dorsalgia |
| M54.9 | Dorsalgia, unspecified |
| | *Codes with a greater degree of specificity should be considered first. |

Headache (ICD-9-CM 784.0)

| | |
|-----|----------|
| R51 | Headache |
|-----|----------|

Cervical Spine Disorders and Displacement (ICD-9-CM 722.0, 722.4, 722.71, 722.91 & 723.4)

| | |
|---------|--|
| M50.00* | Cervical disc disorder with myelopathy, unspecified cervical region |
| M50.01 | Cervical disc disorder with myelopathy, occipito-atlanto-axial region |
| M50.02 | Cervical disc disorder with myelopathy, mid-cervical region |
| M50.03 | Cervical disc disorder with myelopathy, cervicothoracic region |
| M50.10* | Cervical disc disorder with radiculopathy, unspecified cervical region |
| M50.11 | Cervical disc disorder with radiculopathy, occipito-atlanto-axial region |
| M50.12 | Cervical disc disorder with radiculopathy, mid-cervical region |
| M50.13 | Cervical disc disorder with radiculopathy, cervicothoracic region |
| M50.20* | Other cervical disc displacement, unspecified cervical region |
| M50.21 | Other cervical disc displacement, occipito-atlanto-axial region |
| M50.22 | Other cervical disc displacement, mid-cervical region |
| M50.23 | Other cervical disc displacement, cervicothoracic region |
| M50.30* | Other cervical disc degeneration, unspecified cervical region |
| M50.31 | Other cervical disc degeneration, occipito-atlanto-axial region |
| M50.32 | Other cervical disc degeneration, mid-cervical region |
| M50.33 | Other cervical disc degeneration, cervicothoracic region |
| M50.80* | Other cervical disc disorders, unspecified cervical region |
| M50.81 | Other cervical disc disorders, occipito-atlanto-axial region |
| M50.82 | Other cervical disc disorders, mid-cervical region |
| M50.83 | Other cervical disc disorders, cervicothoracic region |
| M50.90* | Cervical disc disorder, unspecified, unspecified cervical region |
| M50.91 | Cervical disc disorder, unspecified, occipito-atlanto-axial region |
| M50.92 | Cervical disc disorder, unspecified, mid-cervical region |
| M50.93 | Cervical disc disorder, unspecified, cervicothoracic region |
| | *Codes with a greater degree of specificity should be considered first. |

ICD-10 Common Codes per CMS

Cardiac Arrhythmias (Other) (ICD-9-CM 427.41, 427.42, 427.60, 427.61, 427.69, 427.81, 427.89 & 427.9)

| | |
|--------|---|
| I49.01 | Ventricular fibrillation |
| I49.02 | Ventricular flutter |
| I49.1 | Atrial premature depolarization |
| I49.2 | Junctional premature depolarization |
| I49.3 | Ventricular premature depolarization |
| I49.40 | Unspecified premature depolarization |
| I49.49 | Other premature depolarization |
| I49.5 | Sick sinus syndrome |
| I49.8 | Other specified cardiac arrhythmias |
| I49.9* | Cardiac arrhythmia, unspecified |
| | *Codes with a greater degree of specificity should be considered first. |

Chest Pain (ICD-9-CM 786.50 TO 786.59 range)

| | |
|--------|---|
| R07.1 | Chest pain on breathing |
| R07.2 | Precordial pain |
| R07.81 | Pleurodynia |
| R07.82 | Intercostal pain |
| R07.89 | Other chest pain |
| R07.9* | Chest pain, unspecified |
| | *Codes with a greater degree of specificity should be considered first. |

Excessive, Frequent & Irregular Menstruation (ICD-9-CM 626.2 to 626.6 range, 627.0)

| | |
|--------|---|
| N92.0 | Excessive and frequent menstruation with regular cycle |
| N92.1 | Excessive and frequent menstruation with irregular cycle |
| N92.2 | Excessive menstruation at puberty |
| N92.3 | Ovulation bleeding |
| N92.4 | Excessive bleeding in the premenopausal period |
| N92.5 | Other specified irregular menstruation |
| N92.6* | Irregular menstruation, unspecified |
| | *Codes with a greater degree of specificity should be considered first. |

ICD-10 Common Codes per CMS

Lump in Breast and Other Disorders of the Breast (ICD-9-CM 611.2, 611.3, 611.4, 611.5, 611.6, 611.71 to 611.79 range, 611.81 to 611.89 range, 611.9)

| | |
|--------|---|
| N63* | Unspecified lump in breast |
| N64.0 | Fissure and fistula of nipple |
| N64.1 | Fat necrosis of breast |
| N64.2 | Atrophy of breast |
| N64.3 | Galactorrhea not associated with childbirth |
| N64.4 | Mastodynia |
| N64.51 | Induration of breast |
| N64.52 | Nipple discharge |
| N64.53 | Retraction of nipple |
| N64.59 | Other signs and symptoms in breast |
| N64.81 | Ptosis of breast |
| N64.82 | Hypoplasia of breast |
| N64.89 | Other specified disorders of breast |
| N64.9* | Disorder of breast, unspecified |
| | *Codes with a greater degree of specificity should be considered first. |

Noninflammatory Disorders of Ovary, Fallopian Tubes and Broad-ligament (ICD-9-CM 620.0 to 620.9 range)

| | |
|---------|---|
| N83.0 | Follicular cyst of ovary |
| N83.1 | Corpus luteum cyst |
| N83.20* | Unspecified ovarian cysts |
| N83.29 | Other ovarian cysts |
| N83.31 | Acquired atrophy of ovary |
| N83.32 | Acquired atrophy of fallopian tube |
| N83.33 | Acquired atrophy of ovary and fallopian tube |
| N83.4 | Prolapse and hernia of ovary and fallopian tube |
| N83.51 | Torsion of ovary and ovarian pedicle |
| N83.52 | Torsion of fallopian tube |
| N83.53 | Torsion of ovary, ovarian pedicle and fallopian tube |
| N83.6 | Hematosalpinx |
| N83.7 | Hematoma of broad ligament |
| N83.8 | Other noninflammatory disorders of ovary, fallopian tube & broad ligament |
| N83.9* | Noninflammatory disorder of ovary, fallopian tube and broad ligament, unspecified |
| | *Codes with a greater degree of specificity should be considered first. |

ICD-10 Common Codes per CMS

Nonrheumatic Valve Disorders

Aortic Valve Disorders (ICD-9-CM 424.1)

| | |
|--------|---|
| I35.0 | Nonrheumatic aortic (valve) stenosis |
| I35.1 | Nonrheumatic aortic (valve) insufficiency |
| I35.2 | Nonrheumatic aortic (valve) stenosis with insufficiency |
| I35.8 | Other nonrheumatic aortic valve disorders |
| I35.9* | Nonrheumatic aortic valve disorder, unspecified |
| | |

Mitral Valve Disorders (ICD-9-CM 424.0)

| | |
|--------|---|
| I34.0 | Nonrheumatic mitral (valve) insufficiency |
| I34.1 | Nonrheumatic mitral (valve) prolapse |
| I34.2 | Nonrheumatic mitral (valve) stenosis |
| I34.8 | Other nonrheumatic mitral valve disorders |
| I34.9* | Nonrheumatic mitral valve disorder, unspecified |
| | *Codes with a greater degree of specificity should be considered first. |

Osteoarthritis of the Hip (ICD-9-CM 715.15, 715.25, 715.35 & 715.95)

| | |
|---------|---|
| M16.0 | Bilateral primary osteoarthritis of hip |
| M16.10* | Unilateral primary osteoarthritis, unspecified hip |
| M16.11 | Unilateral primary osteoarthritis, right hip |
| M16.12 | Unilateral primary osteoarthritis, left hip |
| M16.2 | Bilateral osteoarthritis resulting from hip dysplasia |
| M16.30* | Unilateral osteoarthritis resulting from hip dysplasia, unspecified hip |
| M16.31 | Unilateral osteoarthritis resulting from hip dysplasia, right hip |
| M16.32 | Unilateral osteoarthritis resulting from hip dysplasia, left hip |
| M16.4 | Bilateral post-traumatic osteoarthritis of hip |
| M16.50* | Unilateral post-traumatic osteoarthritis, unspecified hip |
| M16.51 | Unilateral post-traumatic osteoarthritis, right hip |
| M16.52 | Unilateral post-traumatic osteoarthritis, left hip |
| M16.6 | Other bilateral secondary osteoarthritis of hip |
| M16.7 | Other unilateral secondary osteoarthritis of hip |
| M16.9* | Osteoarthritis of hip, unspecified |
| | *Codes with a greater degree of specificity should be considered first. |

ICD-10 Common Codes per CMS

Osteoarthritis of the Knee (ICD-9-CM 715.16, 715.26, 715.36 & 715.96)

| | |
|---------|---|
| M17.0 | Bilateral primary osteoarthritis of knee |
| M17.10* | Unilateral primary osteoarthritis, unspecified knee |
| M17.11 | Unilateral primary osteoarthritis, right knee |
| M17.12 | Unilateral primary osteoarthritis, left knee |
| M17.2 | Bilateral post-traumatic osteoarthritis of knee |
| M17.30* | Unilateral post-traumatic osteoarthritis, unspecified knee |
| M17.31 | Unilateral post-traumatic osteoarthritis, right knee |
| M17.32 | Unilateral post-traumatic osteoarthritis, left knee |
| M17.4 | Other bilateral secondary osteoarthritis of knee |
| M17.5 | Other unilateral secondary osteoarthritis of knee |
| M17.9* | Osteoarthritis of knee, unspecified |
| | *Codes with a greater degree of specificity should be considered first. |

Radiculopathy (Primary) (ICD-9-CM 723.4, 724.3, 724.4 & 729.2)

| | |
|---------|---|
| M54.10* | Radiculopathy, site unspecified |
| M54.11 | Radiculopathy, occipito-atlanto-axial region |
| M54.12 | Radiculopathy, cervical region |
| M54.13 | Radiculopathy, cervicothoracic region |
| M54.14 | Radiculopathy, thoracic region |
| M54.15 | Radiculopathy, thoracolumbar region |
| M54.16 | Radiculopathy, lumbar region |
| M54.17 | Radiculopathy, lumbosacral region |
| M54.18 | Radiculopathy, sacral and sacrococcygeal region |
| M54.30* | Sciatica, unspecified side |
| M54.31 | Sciatica, right side |
| M54.32 | Sciatica, left side |
| | *Codes with a greater degree of specificity should be considered first. |

ICD-10 Common Codes per CMS

Pain in Joint (ICD-9-CM 719.40 to 719.49 range)

| | |
|----------|---|
| M25.511 | Pain in right shoulder |
| M52.512 | Pain in left shoulder |
| M52.519* | Pain in unspecified shoulder |
| M25.521 | Pain in right elbow |
| M25.522 | Pain in left elbow |
| M25.529* | Pain in unspecified elbow |
| M25.531 | Pain in right wrist |
| M25.532 | Pain in left wrist |
| M25.539* | Pain in unspecified wrist |
| M25.551 | Pain in right hip |
| M25.552 | Pain in left hip |
| M25.559* | Pain in unspecified hip |
| M25.561 | Pain in right knee |
| M25.562 | Pain in left knee |
| M25.569* | Pain in unspecified knee |
| M25.571. | Pain in right ankle and joints of right foot |
| M25.572 | Pain in left ankle and joints of left foot |
| M25.579* | Pain in unspecified ankle and joints of unspecified foot |
| M25.50* | Pain in unspecified joint |
| | *Codes with a greater degree of specificity should be considered first. |

Selected Menopausal and Other Perimenopausal Disorders (ICD-9-CM 627.0 to 627.9 range) (Excluding Post-menopausal Osteoporosis and Urethritis Codes)

| | |
|--------|---|
| N92.4 | Excessive bleeding in the premenopausal period |
| N95.0 | Postmenopausal bleeding |
| N95.1 | Menopausal and female climacteric states |
| N95.2 | Postmenopausal atrophic vaginitis |
| N95.8 | Other specified menopausal and perimenopausal disorders |
| N95.9* | Unspecified menopausal and perimenopausal disorder |
| | *Codes with a greater degree of specificity should be considered first. |

ICD-10 Common Codes per CMS

| Pain in Limb (ICD-9-CM) 729.5 | |
|-------------------------------|---|
| M79.601 | Pain in right arm |
| M79.602 | Pain in left arm |
| M79.603* | Pain in arm, unspecified |
| M79.604 | Pain in right leg |
| M79.605 | Pain in left leg |
| M79.606* | Pain in leg, unspecified |
| M79.609 | Pain in unspecified limb |
| M79.621 | Pain in right upper arm |
| M79.622 | Pain in left upper arm |
| M79.629* | Pain in unspecified upper arm |
| M79.631 | Pain in right forearm |
| M79.632 | Pain in left forearm |
| M79.639* | Pain in unspecified forearm |
| M79.641 | Pain in right hand |
| M79.642 | Pain in left hand |
| M79.643* | Pain in unspecified hand |
| M79.644 | Pain in right finger(s) |
| M79.645 | Pain in left finger(s) |
| M79.646* | Pain in unspecified finger(s) |
| M79.651 | Pain in right thigh |
| M79.652 | Pain in left thigh |
| M79.659* | Pain in unspecified thigh |
| M79.661 | Pain in right lower leg |
| M79.662 | Pain in left lower leg |
| M79.669* | Pain in unspecified lower leg |
| M79.571 | Pain in right foot |
| M79.572 | Pain in left foot |
| M79.573* | Pain in unspecified foot |
| M79.574 | Pain in right toe(s) |
| M79.575 | Pain in left toe(s) |
| M79.576* | Pain in unspecified toe(s) |
| | *Codes with a greater degree of specificity should be considered first. |

ICD-10 Common Codes per CMS

Selected Shoulder Conditions (ICD-9-CM 726.0, 726.10 to 726.19 range, 726.2 & 727.61)

| | |
|----------|--|
| M66.211 | Spontaneous rupture of extensor tendons, right shoulder |
| M66.212 | Spontaneous rupture of extensor tendons, left shoulder |
| M66.219* | Spontaneous rupture of extensor tendons, unspecified shoulder |
| M66.811 | Spontaneous rupture of other tendons, right shoulder |
| M66.812 | Spontaneous rupture of other tendons, left shoulder |
| M66.819* | Spontaneous rupture of other tendons, unspecified shoulder |
| M75.00* | Adhesive capsulitis of unspecified shoulder |
| M75.01 | Adhesive capsulitis of right shoulder |
| M75.02 | Adhesive capsulitis of left shoulder |
| M75.100* | Unspecified rotator cuff tear or rupture of unspecified shoulder, not specified as traumatic |
| M75.101* | Unspecified rotator cuff tear or rupture of right shoulder, not specified as traumatic |
| M75.102* | Unspecified rotator cuff tear or rupture of left shoulder, not specified as traumatic |
| M75.110* | Incomplete rotator cuff tear or rupture of unspecified shoulder, not specified as traumatic |
| M75.111 | Incomplete rotator cuff tear or rupture of right shoulder, not specified as traumatic |
| M75.112 | Incomplete rotator cuff tear or rupture of left shoulder, not specified as traumatic |
| M75.120* | Complete rotator cuff tear or rupture of unspecified shoulder, not specified as traumatic |
| M75.121 | Complete rotator cuff tear or rupture of right shoulder, not specified as traumatic |
| M75.122 | Complete rotator cuff tear or rupture of left shoulder, not specified as traumatic |
| M75.20* | Bicipital tendinitis, unspecified shoulder |
| M75.21 | Bicipital tendinitis, right shoulder |
| M75.22 | Bicipital tendinitis, left shoulder |
| M75.30* | Calcific tendinitis of unspecified shoulder |
| M75.31 | Calcific tendinitis of right shoulder |
| M75.32 | Calcific tendinitis of left shoulder |
| M75.40* | Impingement syndrome of unspecified shoulder |
| M75.41 | Impingement syndrome of right shoulder |
| M75.42 | Impingement syndrome of left shoulder |
| M75.50* | Bursitis of unspecified shoulder |
| M75.51 | Bursitis of right shoulder |
| M75.52 | Bursitis of left shoulder |
| M75.80* | Other shoulder lesions, unspecified shoulder |
| M75.81 | Other shoulder lesions, right shoulder |
| M75.82 | Other shoulder lesions, left shoulder |
| M75.90* | Shoulder lesion, unspecified, unspecified shoulder |
| M75.91* | Shoulder lesion, unspecified, right shoulder |
| M75.92* | Shoulder lesion, unspecified, left shoulder |
| | *Codes with a greater degree of specificity should be considered first. |

ICD-10 Common Codes per CMS

Spinal Stenosis of the Lumbar Region (ICD-9-CM 724.02)

| | |
|--------|---|
| M48.06 | Spinal stenosis, lumbar region |
| M48.07 | Spinal stenosis, lumbosacral region |
| M99.23 | Subluxation stenosis of neural canal or lumbar region |
| M99.33 | Osseous stenosis of neural canal of lumbar region |
| M99.43 | Connective tissue stenosis of neural canal of lumbar region |
| M99.53 | Intervertebral disc stenosis of neural canal of lumbar region |
| M99.63 | Osseous and subluxation stenosis of intervertebral foramina of lumbar region |
| M99.73 | Connective tissue and disc stenosis of intervertebral foramina of lumbar region |
| | *Codes with a greater degree of specificity should be considered first. |

Selected Sprains – Rotator Cuff, Cruciate Ligament and Ankle (ICD-9-CM 840.4, 844.0, 844.1, 844.2, 844.8, 845.01, 845.00 to 845.09 range, 905.7 & V58.89)

| | |
|-----------|---|
| S43.421A | Sprain of right rotator cuff capsule, initial encounter |
| S43.421D | Sprain of right rotator cuff capsule, subsequent encounter |
| S43.421S | Sprain of right rotator cuff capsule, sequela |
| S43.422A | Sprain of left rotator cuff capsule, initial encounter |
| S43.422D | Sprain of left rotator cuff capsule, subsequent encounter |
| S43.422S | Sprain of left rotator cuff capsule, sequela |
| S43.429A* | Sprain of unspecified rotator cuff capsule, initial encounter |
| S43.429D* | Sprain of unspecified rotator cuff capsule, subsequent encounter |
| S43.429S* | Sprain of unspecified rotator cuff capsule, sequela |
| S83.501A* | Sprain of unspecified cruciate ligament of right knee, initial encounter |
| S83.501D* | Sprain of unspecified cruciate ligament of right knee, subsequent encounter |
| S83.501S* | Sprain of unspecified cruciate ligament of right knee, sequela |
| S83.502A* | Sprain of unspecified cruciate ligament of left knee, initial encounter |
| S83.502D* | Sprain of unspecified cruciate ligament of left knee, subsequent encounter |
| S83.502S* | Sprain of unspecified cruciate ligament of left knee, sequela |
| S83.509A* | Sprain of unspecified cruciate ligament of unspecified knee, initial encounter |
| S83.509D* | Sprain of unspecified cruciate ligament of unspecified knee, subsequent encounter |
| S83.509S* | Sprain of unspecified cruciate ligament of unspecified knee, sequela |
| S83.511A | Sprain of anterior cruciate ligament of right knee, initial encounter |
| S83.511D | Sprain of anterior cruciate ligament of right knee, subsequent encounter |
| S83.511S | Sprain of anterior cruciate ligament of right knee, sequela |
| S83.512A | Sprain of anterior cruciate ligament of left knee, initial encounter |
| S83.512D | Sprain of anterior cruciate ligament of left knee, subsequent encounter |
| S83.512S | Sprain of anterior cruciate ligament of left knee, sequela |
| S83.519A* | Sprain of anterior cruciate ligament of unspecified knee, initial encounter |
| S83.519D* | Sprain of anterior cruciate ligament of unspecified knee, subsequent encounter |
| S83.519S* | Sprain of anterior cruciate ligament of unspecified knee, sequela |
| S83.521A | Sprain of posterior cruciate ligament of right knee, initial encounter |
| S83.521D | Sprain of posterior cruciate ligament of right knee, subsequent encounter |
| | *Codes with a greater degree of specificity should be considered first. |

Selected Sprains – Rotator Cuff, Cruciate Ligament and Ankle (ICD-9-CM 840.4, 844.0, 844.1, 844.2, 844.8, 845.01, 845.00 to 845.09 range, 905.7 & V58.89) (continued)

| | |
|-----------|---|
| S83.521S | Sprain of posterior cruciate ligament of right knee, sequela |
| S83.522A | Sprain of posterior cruciate ligament of left knee, initial encounter |
| S83.522D | Sprain of posterior cruciate ligament of left knee, subsequent encounter |
| S83.522S | Sprain of posterior cruciate ligament of left knee, sequela |
| S83.529A* | Sprain of posterior cruciate ligament of unspecified knee, initial encounter |
| S83.529D* | Sprain of posterior cruciate ligament of unspecified knee, subsequent encounter |
| S83.529S* | Sprain of posterior cruciate ligament of unspecified knee, sequela |
| S93.401A* | Sprain of unspecified ligament of right ankle, initial encounter |
| S93.401D* | Sprain of unspecified ligament of right ankle, subsequent encounter |
| S93.401S* | Sprain of unspecified ligament of right ankle, sequela |
| S93.402A* | Sprain of unspecified ligament of left ankle, initial encounter |
| S93.402D* | Sprain of unspecified ligament of left ankle, subsequent encounter |
| S93.402S* | Sprain of unspecified ligament of left ankle, sequela |
| S93.409A* | Sprain of unspecified ligament of unspecified ankle, initial encounter |
| S93.409D* | Sprain of unspecified ligament of unspecified ankle, subsequent encounter |
| S93.409S* | Sprain of unspecified ligament of unspecified ankle, sequela |
| S93.411A | Sprain of calcaneofibular ligament of right ankle, initial encounter |
| S93.411D | Sprain of calcaneofibular ligament of right ankle, subsequent encounter |
| S93.411S | Sprain of calcaneofibular ligament of right ankle, sequela |
| S93.412A | Sprain of calcaneofibular ligament of left ankle, initial encounter |
| S93.412D | Sprain of calcaneofibular ligament of left ankle, subsequent encounter |
| S93.412S | Sprain of calcaneofibular ligament of left ankle, sequela |
| S93.419A* | Sprain of calcaneofibular ligament of unspecified ankle, initial encounter |
| S93.419D* | Sprain of calcaneofibular ligament of unspecified ankle, subsequent encounter |
| S93.419S* | Sprain of calcaneofibular ligament of unspecified ankle, sequela |
| S93.421A | Sprain of deltoid ligament of right ankle, initial encounter |
| S93.421D | Sprain of deltoid ligament of right ankle, subsequent encounter |
| S93.421S | Sprain of deltoid ligament of right ankle, sequela |
| S93.422A | Sprain of deltoid ligament of left ankle, initial encounter |
| S93.422D | Sprain of deltoid ligament of left ankle, subsequent encounter |
| S93.422S | Sprain of deltoid ligament of left ankle, sequela |
| S93.429A* | Sprain of deltoid ligament of unspecified ankle, initial encounter |
| S93.429D* | Sprain of deltoid ligament of unspecified ankle, subsequent encounter |
| S93.429S* | Sprain of deltoid ligament of unspecified ankle, sequela |
| S93.431A | Sprain of tibiofibular ligament of right ankle, initial encounter |
| S93.431D | Sprain of tibiofibular ligament of right ankle, subsequent encounter |
| S93.431S | Sprain of tibiofibular ligament of right ankle, sequela |
| S93.432A | Sprain of tibiofibular ligament of left ankle, initial encounter |
| S93.432D | Sprain of tibiofibular ligament of left ankle, subsequent encounter |
| S93.432S | Sprain of tibiofibular ligament of left ankle, sequela |
| S93.439A* | Sprain of tibiofibular ligament of unspecified ankle, initial encounter |
| S93.439D* | Sprain of tibiofibular ligament of unspecified ankle, subsequent encounter |
| S93.439S* | Sprain of tibiofibular ligament of unspecified ankle, sequela |
| | *Codes with a greater degree of specificity should be considered first. |

Selected Sprains – Rotator Cuff, Cruciate Ligament and Ankle (ICD-9-CM 840.4, 844.0, 844.1, 844.2, 844.8, 845.01, 845.00 to 845.09 range, 905.7 & V58.89) (continued)

| | |
|-----------|---|
| S93.491A | Spain of other ligament of right ankle, initial encounter |
| S93.491D | Spain of other ligament of right ankle, subsequent encounter |
| S93.491S | Spain of other ligament of right ankle, sequela |
| S93.492A | Spain of other ligament of left ankle, initial encounter |
| S93.492D | Spain of other ligament of left ankle, subsequent encounter |
| S93.492S | Spain of other ligament of left ankle, sequela |
| S93.499A* | Spain of other ligament of unspecified ankle, initial encounter |
| S93.499D* | Spain of other ligament of unspecified ankle, subsequent encounter |
| S93.499S* | Spain of other ligament of unspecified ankle, sequela |
| | *Codes with a greater degree of specificity should be considered first. |

Syncope and Collapse (ICD-9-CM 780.2)

| | |
|-----|----------------------|
| R55 | Syncope and collapse |
|-----|----------------------|

Thoracic, Thoracolumbar and Lumbosacral Intervertebral Disc Disorders (ICD-9-CM 722.10, 722.11, 722.31, 722.32, 722.51, 722.52, 722.72, 722.73, 722.90, 722.92, 722.93 & 724.4)

| | |
|--------|--|
| M51.04 | Intervertebral disc disorders with myelopathy, thoracic region |
| M51.05 | Intervertebral disc disorders with myelopathy, thoracolumbar region |
| M51.06 | Intervertebral disc disorders with myelopathy, lumbar region |
| M51.07 | Intervertebral disc disorders with myelopathy, lumbosacral region |
| M51.14 | Intervertebral disc disorders with radiculopathy, thoracic region |
| M51.15 | Intervertebral disc disorders with radiculopathy, thoracolumbar region |
| M51.16 | Intervertebral disc disorders with radiculopathy, lumbar region |
| M51.17 | Intervertebral disc disorders with radiculopathy, lumbosacral region |
| M51.24 | Other intervertebral disc displacement, thoracic region |
| M51.25 | Other intervertebral disc displacement, thoracolumbar region |
| M51.26 | Other intervertebral disc displacement, lumbar region |
| M51.27 | Other intervertebral disc displacement, lumbosacral region |
| M51.34 | Other intervertebral disc degeneration, thoracic region |
| M51.35 | Other intervertebral disc degeneration, thoracolumbar region |
| M51.36 | Other intervertebral disc degeneration, lumbar region |
| M51.37 | Other intervertebral disc degeneration, lumbosacral region |
| M51.44 | Schmorl's nodes, thoracic region |
| M51.45 | Schmorl's nodes, thoracolumbar region |
| M51.46 | Schmorl's nodes, lumbar region |
| M51.47 | Schmorl's nodes, lumbosacral region |
| M51.84 | Other intervertebral disc disorders, thoracic region |
| M51.85 | Other intervertebral disc disorders, thoracolumbar region |
| M51.86 | Other intervertebral disc disorders, lumbar region |
| M51.87 | Other intervertebral disc disorders, lumbosacral region |
| M51.9* | Unspecified thoracic, thoracolumbar and lumbosacral intervertebral disc disorder |
| | *Codes with a greater degree of specificity should be considered first. |

ICD-10 Common Codes per CMS

| Urinary Tract Infection, Cystitis (ICD-9-CM 595.0 to 595.4 range, 595.81, 595.82, 595.89, 595.9 & 599.0) | |
|--|---|
| N30.00 | Acute cystitis without hematuria |
| N30.01 | Acute cystitis with hematuria |
| N30.10 | Interstitial cystitis (chronic) without hematuria |
| N30.11 | Interstitial cystitis (chronic) with hematuria |
| N30.20 | Other chronic cystitis without hematuria |
| N30.21 | Other chronic cystitis with hematuria |
| N30.30 | Trigonitis without hematuria |
| N30.31 | Trigonitis with hematuria |
| N30.40 | Irradiation cystitis without hematuria |
| N30.41 | Irradiation cystitis with hematuria |
| N30.80 | Other cystitis without hematuria |
| N30.81 | Other cystitis with hematuria |
| N30.90 | Cystitis, unspecified without hematuria |
| N30.91 | Cystitis, unspecified with hematuria |
| N39.0* | Urinary tract infection, site not specified |
| | *Codes with a greater degree of specificity should be considered first. |

3T MRI | 1.5T MRI | 1.2T OPEN MRI | CT | NUCLEAR MEDICINE | PET/CT | FLUOROSCOPY | X-RAY
PROSTATE 3T MRI | ENTEROGRAPHY | UROGRAPHY | ANGIOGRAPHY
ARTHROGRAPHY | HYSTEROSALPINGOGRAPHY | IMAGE FUSION/MERGE
3D MAMMOGRAPHY | BREAST MRI | BREAST BIOPSY | ULTRASOUND | DEXA

To have a clinical consultation with a DIS radiologist, please call 504-459-3213

Appointment Scheduling (south)

Phone: 504-883-5999

Fax: 504-883-5364

Visit www.disnola.com/referring-providers for more information

Appointment Scheduling (north)

Phone: 985-641-2390

Fax: 985-641-2854

